GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services - Certain allegations against Late Sri K.V Venkat Rao, , the then Assistant Executive Engineer, Gudivada Municipality of irregularities in Gudivada Municipal area and detected 153 illegal tap connections and Water charges in Gudivada Municipality – Expired - Further action abated- Orders - Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 736 Dated: 09-11-2015

Read the following:-

1) From the G.A (V&E) Department Appraisal Note No. No.87(C.No.463/V&E/D1/2002-2) Dt.23.07.2003.
2) GO.Rt.No.1604, MA & UD (E2) Dept, Dt:01.12.2003
3) GO.Rt.No.765, MA & UD (E2) Dept, Dt:05.07.2006
4) Govt. Memo No.14348/E3/2003-13, dt. 25.08.2006
5) From E.O & S.E (PH), Lr.No.3169/E1/ 2012, dated: 16.02.2015
6) From the ENC(PH),AP., Hyd Lr.No.12176/CS3/2015, dated 04.02.2015

*****

O R D E R:

Whereas, the G.A (V&E) Department vide reference 1st read above, have enquired into the allegations of irregularities in Gudivada Municipal area and detected 153 illegal tap connections resulting in a loss of Rs.7.56 lakhs towards Water charges to Gudivada Municipality against Sri K.V Venkat Rao, , the then Assistant Executive Engineer, Gudivada Municipality and others.

2. In the reference 2nd read above, Government have initiated the disciplinary action and issued charges against Sri K.V Venkat Rao, , the then Assistant Executive Engineer, Gudivada Municipality on the above said irregularities based on the recommendations of GA (V&E) Dept.

3. Whereas, the Government after examining the Written Statement of Defense submitted by the said C.O, have appointed Sri G.Yohan, S.E (PH), Nellore and Sri G.Srinivasa Rao, Municipal Commissioner, Gudivada Municipality as Inquiry Officer and Presenting Officer vide reference 3rd and 4th read above respectively, to inquire into the charges.

4. Whereas, in the reference 5th read above, the Enquiry Report was received by the Government, wherein the Enquiry Officer has stated that Sri K.V Venkat Rao, the then Assistant Executive Engineer, Gudivada Municipality is expired.

5. Government after careful examination the matter hereby abate further action against late Sri K.V Venkat Rao, , the then Assistant Executive Engineer, Gudivada Municipality as he expired on 27-12-2009.

6. The Engineer-In-Chief(PH) is requested to take further necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R. KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri K.V Venkat Rao, , the then Assistant Executive Engineer, Gudivada Municipality through ENC(PH),AP., Hyderabad.
The Engineer-In-Chief (PH), AP, Hyderabad.

Copy to

The Secretary to APVC
The General Administration(V&E) Dept.
9th floor,BRKR Office complex, Saifabad, Hyderabad.
Sc/Sf.

//FORWARDED BY ORDER//

SECTION OFFICER